

# Hinged Door Specifications



# A Complete System

### **Ultimate Security**

- U.S. Dept. of State standards testing for embassy attacks: battering rams, axes, sledgehammers, etc.
- Testing for up to 6 professionals attacking the door simultaneously, up to 4+ hours combined.
- All side locking, up to 20 bolts
- Up to **7 layers of armoring,** geometrically optimized
- Upgraded steel option resists military rifles, plasma torches, concrete saws, and more.

### Custom Design

- Custom designed: match nearby doors or create a new masterpiece
- Bespoke milling profiles, raised mouldings, handfinished woodwork
- Durable engineered woods, or natural woods like Oak or Mahogany
- Hundreds of paint or stain colors, traditional and ornate door handles

### Installation Simplicity

- Custom manufactured to fit your existing opening sizes or blueprints
- Entire system included, entire system pre-installed (door, frame, locks, hinges) and factory tested
- Built-in steel shims for easy alignment.
- Fits wood framing, concrete or masonry.

### **Lase of Use**

- Special engineering and hinges for effortless door swing for clients of all ages
- Lock and unlock all bolts with one cylinder
- Optional biometrics, smart home integration, and auto-locking features.
- Acoustic & thermal insulation throughout, and duallayer weather seals integrated

## Made to Measure

#### **Environment**





### **Configuration Examples**









Single leaf

Double leaf

Arches

Glass Features

### Open Handing









LH inswing

RH inswing

LHR outswing


RHR outswing

### **| →** Max Dimensions

	SINGLE LEAF	DOUBLE LEAF	SIDELIGHTS TRANSOMS	
MAX. WIDTH	48"	96"	Practicaly Unlimited	
MAX. HEIGHT	112"	112"		

IN SOME CASES, EXCEPTIONS CAN BE MADE. FOR SIGNIFICANTLY LARGER DOORS, CONSIDER OUR PIVOT DOORS INSTEAD

# **I** Five Security Tiers





### Sample Weapon Resistance











# **Included Standard**

#### PRIMARY LOCK SYSTEM

Mottura 85 Armored lock system with connected secondary locks, overall securing all four sides of door with 16–20 bolts

#### THERMAL & ACCOUSTIC

2"+ Rockwool Insulation (Door & Frame), Double Weather Stripping Seal

#### THRESHOLD OPTIONS

Level threshold Sloped Threshold No Threshold Drop-Down Seal

#### INCLUDED HANDLES

Over 100 lever 3rd Party Handles options requires 8mm spindle on square, and surface applied screws

#### CYLINDER

Mottura high-security cylinder

#### CYLINDER DEFENDER

Integrated defender with anti-drill spinner

#### HINGES

3-4 welded ball bearing hinges

#### **CLADDING OPTIONS**

Interior: Umidax Engineered Wood Exterior: Medite Tricoya Extreme

# Additional Options

MOTORIZED LOCK UPGRADE  (FAIL SECURE, POWER BOX W/ BACKUP BATTERY, MANUAL BACKUP)					
X1R Smart	X1R Smart S	ingle Action	Panic 4RM		
EMBEDDED ACCESS CONTROLS					
Digital Keypad	eKey Biometric Scanner	Argo App	Access Control Integration		
PEEPHOLES					
Armo	ored	Bullet resistant			
DOOR CLOSERS					
Concealed Dorma ITS 96	Remote release Dorma ITS 96 FL		Surface Mounted		
SENSORS					
Door Position Sensor		Door Lock Sensor			
STAIN WOOD MATERIALS					
Marine-grade plywood	Oak	Walnut	Mahogany		
ADVANCED DESIGNS					
Applied / Raised Moulding	3D bespoke designs	Center Knobs	Integrated Lighting		
SPECIALIZED UPGRADES					
Fire Resistance Upgrade	Gun Port	Accoustic Membrane	Lockout Function		





We work with clients throughout *North America*.

Phone: 844-656-FORT (3678)

Email: Contact@FortifiedEstate.com

Mailing Address: Fortified Estate, LLC 1900 Jay Ell Dr. Richardson, Texas 75081